

99044A

M-18-802119-7

8 February 1968

Dear Ray:

Subject: Delivery of One (1) BPE to Ford Island, Hawaii

In response to your verbal request through [redacted]
 we can propose the following concerning the subject movement which
 is outside the scope of contract [redacted]

"The unit would leave our facility F.O.B. [redacted]
 [redacted] Headquarters would arrange Military Air Transportation
 from [redacted] to Hickam Field, Hawaii with responsibility
 put on the Transportation Officer at Hickam to see that the unit is
 delivered to the site location on Ford Island."

This procedure would, of course, require exact address
 information on the shipment down to and including the building (door
 or unloading dock if possible) at installation site location.

Should you decide to accept this proposal, at no
 increase in cost to the contract, we would appreciate indication
 thereof as soon as possible:

RRW:sjm

R.R.W.
 R. R. W.

STAT *Called [redacted] on 14 Feb 68 re above. No contract change required. He will*
 STAT *make note in project file. [redacted] to send cable to contracting officer re*
transportation by MMTS. Will probably be handled by our logistics
 STAT *people. [redacted] leaving program [redacted] is* STAT
 STAT *taking over [redacted]*

Declass Review by NGA.

28 February 1968

Dear Ray:

Subject: Precision Enlarger

Precision Enlarger, No. 1-023-E-001 is now correct nomenclature for the briefing print enlarger that has "BPE" on its nameplate.

In order to be consistent all the way through, we are rewriting our manual and have rewritten our Preventive Maintenance Schedule using the new name. I am enclosing two copies of the latter and two pads to replace the ones we sent you earlier.

Corrected manuals will be along in due course.


R. W.

RW/bb

Enclosure: PMS Precision Enlarger (2 copies)